

# Test Results

Order #: 2019027239

CHU de Quebec  
(# 39928 - CHU de Quebec-Site CHUL bloc T  
QC)

Bloc T  
2705 Suite Est de l'Hopital  
Boulevard Laurier  
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services  
(CR RADS)

261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

## Billing Information

### Payment Method

Standing Purchase PO#: 92171  
Order Exp. 12/2020

## Details

Sample(s) from: Multiple locations

Collection Date  
28-May-2019

Arrival Date  
06-Jun-2019

Approval Date  
06-Jun-2019

## Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting [http://www.criver.com/info/disease\\_sheets](http://www.criver.com/info/disease_sheets).

# Test Results

Order #: **2019027239**

**CHU de Quebec**  
 (# 39928 - CHU de Quebec-Site CHUL bloc T  
 QC)

Charles River Research Animal Diagnostic Services  
 (CR RADS)

Bloc T  
 2705 Suite Est de l'Hopital  
 Boulevard Laurier  
 Quebec, QC G1V 4G2 Canada

261 Ballardvale Street  
 Receiving Dock, Bldg 22  
 Wilmington MA 01887 USA

## Serology

Results approved by Gonzalez, Julio on 06 Jun 2019

	<u>1</u> TS-32 A	<u>2</u> TS-32 B	<u>3</u> TS-53 A	<u>4</u> TS-53 B	<u>5</u> TS-53 C	<u>6</u> TS-53 D	<u>7</u> TS-54 A	<u>8</u> TS-54 B	<u>9</u> TS-54 C	<u>10</u> TS-54 D
<b>MFIA MHV</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MVM</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MPV-1</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MPV-2</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA NS-1</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA MNV</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA GDVII</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA EDIM (ROTA-A)</b>	-	-	-	-	-	-	-	-	-	-
<b>MFIA Anti-Ig</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>	<b>P</b>

	<u>11</u> TS-54 E
<b>MFIA MHV</b>	-
<b>MFIA MVM</b>	-
<b>MFIA MPV-1</b>	-
<b>MFIA MPV-2</b>	-
<b>MFIA NS-1</b>	-
<b>MFIA MNV</b>	-
<b>MFIA GDVII</b>	-
<b>MFIA EDIM (ROTA-A)</b>	-
<b>MFIA Anti-Ig</b>	<b>P</b>

Serology Profile: QC MFIA Mouse Prevalent Profile

### Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff (typically  $\geq 7000$  or higher). An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

# Test Results

Order #: 2019027239

CHU de Quebec  
(# 39928 - CHU de Quebec-Site CHUL bloc T  
QC)

Bloc T  
2705 Suite Est de l'Hopital  
Boulevard Laurier  
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services  
(CR RADS)

261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

## Sample Information

Number	Code	Species	Colony
1	TS-32 A	Mouse	TS-32 CD-1 Mice (rack ABCDE)
2	TS-32 B	Mouse	TS-32 CD-1 Mice (rack ABCDE)
3	TS-53 A	Mouse	TS-53 CD-1 Mice (rack ABCDE)
4	TS-53 B	Mouse	TS-53 CD-1 Mice (rack ABCDE)
5	TS-53 C	Mouse	TS-53 CD-1 Mice (rack ABCDE)
6	TS-53 D	Mouse	TS-53 CD-1 Mice (rack ABCDE)
7	TS-54 A	Mouse	TS-54 CD-1 Mice (rack ABCDE)
8	TS-54 B	Mouse	TS-54 CD-1 Mice (rack ABCDE)
9	TS-54 C	Mouse	TS-54 CD-1 Mice (rack ABCDE)
10	TS-54 D	Mouse	TS-54 CD-1 Mice (rack ABCDE)
11	TS-54 E	Mouse	TS-54 CD-1 Mice (rack ABCDE)