

Test Results

Order #: **2021026227**

CHU de Quebec
(# 36408 - CHU de Quebec-Site CHUL bloc R
QC)

Bloc R
2705 Boulevard Laurier
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services
(CR RADS)

261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Billing Information

Payment Method

No bill

Details

Sample(s) from: R-3730.5

Collection Date

08-May-2021

Arrival Date

12-May-2021

Approval Date

13-May-2021

Notes

Support Cb 30.5 : Repeat sample # 8 from order # 2021022974. ONLY MHV and EDIM
Free to check the result = TC

Protocol

MHV and EDIM only (MFIA) (SR-SR-34)

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2021026227**

CHU de Quebec
(# 36408 - CHU de Quebec-Site CHUL bloc R
QC)

Charles River Research Animal Diagnostic Services
(CR RADS)

Bloc R
2705 Boulevard Laurier
Quebec, QC G1V 4G2 Canada

261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Sample(s) from: R-3730.5

Notes

Support Cb 30.5 : Repeat sample # 8 from order # 2021022974. ONLY MHV and EDIM
Free to check the result = TC

Serology

Results approved by Estevez, Rebecca on 13 May 2021

	1 Cb 30.5
MFIA MHV	-
MFIA EDIM (ROTA-A)	-
MFIA Anti-Ig	P

Remarks

MFIA/ELISA/IFA Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control.

All Assays: IN = positive result interpreted as non-specific because not confirmed by other serologic assays, PDG = pending, QNS = Quantity not sufficient.

The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff (typically ≥ 7000 or higher). An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute or was collected from an immunocompromised host. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: **2021026227**

CHU de Quebec
(# 36408 - CHU de Quebec-Site CHUL bloc R
QC)

Charles River Research Animal Diagnostic Services
(CR RADS)

Bloc R
2705 Boulevard Laurier
Quebec, QC G1V 4G2 Canada

261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Sample(s) from: R-3730.5

Notes

Support Cb 30.5 : Repeat sample # 8 from order # 2021022974. ONLY MHV and EDIM
Free to check the result = TC

Sample Information

Number	Code	Species	Colony
1	Cb 30.5	Mouse	R-3730.5 CD-1 Mice (Rack A, B, C, D, E, F)