

Test Results

Order #: **2023005313**

CHU de Quebec
(# 36408 - CHU de Quebec-Site CHUL bloc R
QC)

Bloc R
2705 Boulevard Laurier
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services
(CR RADS)

261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Billing Information

Payment Method

Standing Purchase PO#: 92171
Order Exp. 12/2030

Details

Sample(s) from: Multiple locations

Collection Date
11-Jan-2023

Arrival Date
13-Jan-2023

Approval Date
16-Jan-2023

Notes

1e trimestre ÉLITE support A

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2023005313**

CHU de Quebec
(# 36408 - CHU de Quebec-Site CHUL bloc R
QC)

Bloc R
2705 Boulevard Laurier
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services
(CR RADS)

261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

1e trimestre ÉLITE support A

Serology

Results approved by Oliveira, Kevin on 16 Jan 2023

	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>
	R-3762 Aa	R-3762 Ab	R-3764 Ab	R-3764 Aa
	1	1	1	1
MFIA MHV	-	-	-	-
MFIA MVM	-	-	-	-
MFIA MPV-1	-	-	-	-
MFIA MPV-2	-	-	-	-
MFIA NS-1	-	-	-	-
MFIA MNV	-	-	-	-
MFIA GDVII	-	-	-	-
MFIA EDIM (ROTA-A)	-	-	-	-
MFIA Anti-Ig	P	P	P	P

Serology Profile: QC MFIA Mouse Prevalent Profile

Remarks

MFIA/IFA/ELISA/WIB Results: - = Negative; +/- = Equivocal; + = Moderate to strong positive; TC = Non-specific reaction with tissue control; I = Indeterminate or Inconclusive; IN = result interpreted as non-specific because not confirmed by alternative serologic assay or diagnostic methodology for other serologic assays, PDG = pending, QNS = Quantity not sufficient. The anti-immunoglobulin (Anti-Ig) MFIA verifies that a serum specimen contains a sufficient concentration of immunoglobulin to be suitable for serologic testing. A result of P (for Pass) corresponds to a median fluorescence index (MFI) at or above the Anti-Ig assay cutoff, typically ≥ 7000 . An Anti-Ig assay result of F (for Fail), assigned if the MFI is below the cutoff, might occur because the sample was received too dilute, was collected from an immunocompromised host or was from a species other than the one for which the MFIA is intended. If a sample fails the Anti-Ig MFIA, then negative and borderline results in MFIA for microbial antibodies are considered I (for inconclusive).

Test Results

Order #: **2023005313**

CHU de Quebec
(# 36408 - CHU de Quebec-Site CHUL bloc R
QC)

Bloc R
2705 Boulevard Laurier
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services
(CR RADS)

261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

1e trimestre ÉLITE support A

Sample Information

Number	Code	Species	Colony
1	R-3762 Aa 1	Mouse	R-3762 CD-1 Mice (Rack A, B, C, D, E, F)
2	R-3762 Ab 1	Mouse	R-3762 CD-1 Mice (Rack A, B, C, D, E, F)
3	R-3764 Ab 1	Mouse	R-3764 CD-1 Mice (Rack A, B, C, D, E, F)
4	R-3764 Aa 1	Mouse	R-3764 CD-1 Mice (Rack A, B, C, D, E, F)