

Test Results

Order #: **2024008379**

CHU de Quebec
(# 36408 - CHU de Quebec-Site CHUL bloc R
QC)

Bloc R
2705 Boulevard Laurier
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services
(CR RADS)

261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Billing Information

Payment Method

Standing Purchase PO#: 92171
Order Exp. 12/2030

Details

Sample(s) from: Multiple locations

Collection Date
26-Jan-2024

Arrival Date
26-Jan-2024

Approval Date
29-Jan-2024

Notes

CQ1 EAD secteur 40 TOUS supports janvier/février 2024

Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
All results NEGATIVE						

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting http://www.criver.com/info/disease_sheets.

Test Results

Order #: **2024008379**

CHU de Quebec
(# 36408 - CHU de Quebec-Site CHUL bloc R
QC)

Bloc R
2705 Boulevard Laurier
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services
(CR RADS)

261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

CQ1 EAD secteur 40 TOUS supports janvier/février 2024

Molecular Diagnostics: Infectious

Disease PCR

Results approved by Peck, DiAnne on 29 Jan 2024

Mouse Prevalent PRIA

	<u>1</u> 40.1 EAD CQ2	<u>2</u> 40.2 EAD CQ2	<u>3</u> 40.7 EAD CQ2	<u>4</u> 40.8 EAD CQ2
<i>MNV PCR</i>	-	-	-	-
<i>MHV PCR</i>	-	-	-	-
<i>Mouse Parvovirus (MPV/MVM) PCR</i>	-	-	-	-
<i>MRV (EDIM) PCR</i>	-	-	-	-
<i>TMEV/GDVII PCR</i>	-	-	-	-
<i>Helicobacter genus PCR</i>	-	-	-	-
<i>R. heylII PCR</i>	-	-	-	-
<i>R. pneumotropicus PCR</i>	-	-	-	-
<i>Entamoeba PCR</i>	-	-	-	-
<i>Mite PCR</i>	-	-	-	-
<i>Pneumocystis PCR</i>	-	-	-	-
<i>Pinworm PCR</i>	-	-	-	-
<i>Spironucleus muris PCR</i>	-	-	-	-
<i>Tritrichomonas genus PCR</i>	-	-	-	-

Remarks

Test Results

Order #: **2024008379**

CHU de Quebec
(# 36408 - CHU de Quebec-Site CHUL bloc R
QC)

Bloc R
2705 Boulevard Laurier
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services
(CR RADS)

261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

CQ1 EAD secteur 40 TOUS supports janvier/février 2024

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection. If this report contains an unexpected result or are unsure of recommended sample types, please contact Lab_Services@crl.com before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

Test Results

Order #: **2024008379**

CHU de Quebec
(# 36408 - CHU de Quebec-Site CHUL bloc R
QC)

Bloc R
2705 Boulevard Laurier
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services
(CR RADS)

261 Ballardvale Street
Receiving Dock, Bldg 22
Wilmington MA 01887 USA

Notes

CQ1 EAD secteur 40 TOUS supports janvier/février 2024

Sample Information

Number	Code	Species	Colony
1	40.1 EAD CQ2	Mouse	R-3740.1 Environment Mice (40.1)
2	40.2 EAD CQ2	Mouse	R-3740.2 Environment Mice (40.2)
3	40.7 EAD CQ2	Mouse	R-3740.7 Environment Mice (40.7)
4	40.8 EAD CQ2	Mouse	R-3740.8 Environment Mice (40.8)