

# Test Results

Order #: **2025056554**

**CHU de Quebec**  
**(# 36408 - 'CA' CHU de Quebec-Site CHUL**  
**bloc R QC)**  
Bloc R  
2705 Boulevard Laurier  
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services  
(CR RADS)

261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

## Billing Information

### Payment Method

Standing Purchase PO#: 92171  
Order Exp. 12/2030

## Details

**Sample(s) from:** Multiple locations

**Collection Date**  
15-Dec-2025

**Arrival Date**  
18-Dec-2025

**Approval Date**  
23-Dec-2025

## Notes

CQ 4 - 2025 - Secteur 30

## Diagnostic Summary

Test	Colony	Tested	+	+/-	?	PDG
K. pneumoniae PCR Mouse Surveillance Plus PRIA	R-3730.2 Environment Mice (30.2)	1	1	0	0	0

+ = Positive, +/- = Equivocal, ? = Indeterminate, PDG = Pending

To assure the health status of your research animal colonies, it is essential that you understand the sources, pathobiology, diagnosis and control of pathogens and other adventitious infectious agents that may cause research interference. We have summarized this important information in infectious agent **Technical Sheets**, which you can view by visiting

[http://www.criver.com/info/disease\\_sheets](http://www.criver.com/info/disease_sheets).

# Test Results

Order #: **2025056554**

CHU de Quebec  
(# 36408 - 'CA' CHU de Quebec-Site CHUL  
bloc R QC)  
Bloc R  
2705 Boulevard Laurier  
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services  
(CR RADS)

261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

## Notes

CQ 4 - 2025 - Secteur 30

## Molecular Diagnostics: Infectious

### Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2025

### Mouse Surveillance Plus PRIA

	<u>2</u>	<u>3</u>	<u>4</u>
	30.2 EAD CQ-4 2025	30.5 EAD CQ-4 2025	30.6 EAD CQ-4 2025
LCMV PCR	-	-	-
MAV 1 & 2 PCR	-	-	-
MHV PCR	-	-	-
MNV PCR	-	-	-
Mousepox (Ectromelia) PCR	-	-	-
Mouse Parvovirus (MPV/MVM) PCR	-	-	-
MRV (EDIM) PCR	-	-	-
PVM PCR	-	-	-
REO PCR	-	-	-
SEND PCR	-	-	-
TMEV/GDVII PCR	-	-	-
Beta Strep Grp A PCR	-	-	-
Beta Strep Grp B PCR	-	-	-
Beta Strep Grp C PCR	-	-	-
Beta Strep Grp G PCR	-	-	-
B. bronchiseptica PCR	-	-	-
B. pseudohinzii PCR	-	-	-
Campylobacter Genus PCR	-	-	-
C. bovis PCR	-	-	-
Filobacterium rodentium (CAR Bacillus) PCR	-	-	-
C. kutscheri PCR	-	-	-
C. rodentium PCR	-	-	-
C. piliforme PCR	-	-	-
Helicobacter genus PCR	-	-	-
K. oxytoca PCR	-	-	-
K. pneumoniae PCR	+	-	-
M. pulmonis PCR	-	-	-
R. heyltii PCR	-	-	-
R. pneumotropicus PCR	-	-	-
Ps. aeruginosa PCR	-	-	-

# Test Results

Order #: **2025056554**

CHU de Quebec  
(# 36408 - 'CA' CHU de Quebec-Site CHUL  
bloc R QC)  
Bloc R  
2705 Boulevard Laurier  
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services  
(CR RADS)

261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

## Notes

CQ 4 - 2025 - Secteur 30

## Molecular Diagnostics: Infectious

### Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2025

#### Mouse Surveillance Plus PRIA (continued)

	<u>2</u>	<u>3</u>	<u>4</u>
	30.2 EAD	30.5 EAD	30.6 EAD
	CQ-4 2025	CQ-4 2025	CQ-4 2025
<i>Salmonella Genus PCR</i>	-	-	-
<i>S. aureus PCR</i>	-	-	-
<i>S. moniliformis PCR</i>	-	-	-
<i>S. pneumoniae PCR</i>	-	-	-
<i>Cryptosporidium PCR</i>	-	-	-
<i>D. musculi PCR</i>	-	-	-
<i>Entamoeba PCR</i>	-	-	-
<i>Giardia PCR</i>	-	-	-
<i>Mite PCR</i>	-	-	-
<i>Pinworm PCR</i>	-	-	-
<i>Pneumocystis PCR</i>	-	-	-
<i>P. mirabilis PCR</i>	-	-	-
<i>Spirochete muris PCR</i>	-	-	-
<i>Trichomonas genus PCR</i>	-	-	-

# Test Results

Order #: **2025056554**

CHU de Quebec  
(# 36408 - 'CA' CHU de Quebec-Site CHUL  
bloc R QC)  
Bloc R  
2705 Boulevard Laurier  
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services  
(CR RADS)

261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

## Notes

CQ 4 - 2025 - Secteur 30

## Molecular Diagnostics: Infectious

### Disease PCR

Results approved by Peck, DiAnne on 23 Dec 2025

### Mouse Prevalent PRIA

1  
30.1 EAD  
CQ-4 2025

<b>MNV PCR</b>	-
<b>MHV PCR</b>	-
<b>Mouse Parvovirus (MPV/MVM) PCR</b>	-
<b>MRV (EDIM) PCR</b>	-
<b>TMEV/GDVII PCR</b>	-
<b>Helicobacter genus PCR</b>	-
<b>R. heylII PCR</b>	-
<b>R. pneumotropicus PCR</b>	-
<b>Entamoeba PCR</b>	-
<b>Mite PCR</b>	-
<b>Pneumocystis PCR</b>	-
<b>Pinworm PCR</b>	-
<b>Spironucleus muris PCR</b>	-
<b>Tritrichomonas genus PCR</b>	-

Remarks

# Test Results

Order #: **2025056554**

**CHU de Quebec**  
**(# 36408 - 'CA' CHU de Quebec-Site CHUL**  
**bloc R QC)**

Bloc R  
2705 Boulevard Laurier  
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services  
(CR RADS)

261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

## Notes

CQ 4 - 2025 - Secteur 30

- = Negative, +/- = Equivocal; + = Positive; I = Inconclusive.

An equivocal result indicates inconsistent amplification detected by real-time PCR.

Inconclusive indicates failure of control result.

Nucleic Acid Recovery Control (NRC)/Inhibition Control: A low copy exogenous nucleic acid was added to sample lysis prior to nucleic acid isolation to serve as both a control to monitor for nucleic acid recovery and PCR inhibition. An RNA NRC also monitors reverse transcription for RNA virus assays. Nucleic acid recovery and PCR inhibition is monitored by a PCR assay specific for the NRC template. Unless otherwise stated, the control results passed for this order.

Any samples reported as equivocal or positive result in this report has been confirmed by re-extracting nucleic acid and repeating real-time PCR amplification to confirm the initial testing result. If any results are unexpected positives, it is suggested to submit a new representative sample for gratis retesting of the specific agent(s) in question. Please reference this order on the new submission so we can adjust the billing to gratis. The gratis testing is only up to the number of unexpected results in this order.

Recommended sample types are essential to accurate results. Missing or inappropriate sample types and/or expired buffer/additives can affect detection, and may produce false-negative results. If this report contains an unexpected result or are unsure of recommended sample types, please contact [LabServices@crl.com](mailto:LabServices@crl.com) before taking any action. Additional or alternative testing may be essential to reaching an accurate diagnosis. We will be glad to test newly submitted samples for the positive agents up to the number of unexpected results in this order.

# Test Results

Order #: **2025056554**

CHU de Quebec  
(# 36408 - 'CA' CHU de Quebec-Site CHUL  
bloc R QC)  
Bloc R  
2705 Boulevard Laurier  
Quebec, QC G1V 4G2 Canada

Charles River Research Animal Diagnostic Services  
(CR RADS)

261 Ballardvale Street  
Receiving Dock, Bldg 22  
Wilmington MA 01887 USA

## Notes

CQ 4 - 2025 - Secteur 30

## Sample Information

Number	Code	Species	Colony
1	30.1 EAD CQ-4 2025	Mouse	R-3730.1 Environment Mice (30.1)
2	30.2 EAD CQ-4 2025	Mouse	R-3730.2 Environment Mice (30.2)
3	30.5 EAD CQ-4 2025	Mouse	R-3730.5 Environment Mice (30.5)
4	30.6 EAD CQ-4 2025	Mouse	R-3730.6 Environment Mice (30.6)